

BOL SERIES

Outdoor Lighting

WESTGATE
THE FUTURE IS HERE...AND IT'S QUITE BRIGHT!

BOL-710-26-MCTP-BK
BOL-710-26-MCTP-BR
ARCHITECTURAL REVERSE LIGHT BOLLARD

Customer Name: _____

Project Name: _____

Note: _____

Type: _____


MCTP Multi Color Temperature & Multi Power/Wattage (Selectable)



Avail Finishes:



Bollards are designed for walkways, entrance ways, drives and other small-area lighting applications where low mounting heights are desirable



26"(H) x 8.7"(W) x 4.7"(D)

Features

- Corrosion Resistant Aluminum for Exterior
- Powder-Coated Aluminum, Black & Bronze Finishes
- Wattage & CCT Selectable Switches inside fixture
- 7-Year Warranty

Technical Specifications

Electrical:

- Voltage: 120-277V AC
- Wattage: 12W/6W/20W
- Power Factor: >0.9
- Efficacy: 100LM/W

Mechanical:

- Powder-Coated Aluminum, Black & Bronze Finishes
- Corrosion Resistant Aluminum for Exterior
- Mounting Accessories & Anchor Sold Separately, see the accessories
- Operating Temperature: -40°F to 113°F
- 7 Years Warranty
- IP Rating: IP65, Wet Locations

Lighting:

- Dimming: 0-10V Dimming
- Wattage & CCT Selectable Switches inside fixture
- Lumens: 2000LM Max.
- Color Temperatures: 3000K/4000K/5000K
- Color Rendering Index: CRI ≥ 80
- Beam Angle : 270°
- Lifespan: 70000 Hours

Applications:

- Bollards are designed for walkways, entrance ways, drives and other small-area lighting applications where low mounting heights are desirable




Phone: (877) 805-2252 | Fax: (877) 805-2252
www.westgatemfg.com |



WG-20230517


Photometrics: BOL-710-26-MCTP

BUG rating



BUD Rating: B1-U1-G1

Iso-illuminance plot



Area 24' x 24' Mounting Height: 10'

Performance Table: BOL-710-16-MCTP

MODEL NO.	Wattage	Voltage	Lumens	Color Temp.	BUG Rating	LPW
BOL-710-26-MCTP-BK BOL-710-26-MCTP-BR	12W 16W 20W	120~277V	1200LM 1600LM 2000LM	3000K 4000K 5000K	B1-U1-G1	100

Sample Ordering

Model	Style	Size	Color Temp.	Housing				
BOL	-	710	-	26	-	MCTP	-	

BK= Black
BR= Bronze

Accessories:

Blank = No Option For Accessories

BOL-710-ABK = BOL-710 Anchor Bolt Kit


BOL-710-SMB-BK = BOL-710 Surface-Mounting Base Bk

BOL-710-SMB-BR = BOL-710 Surface-Mounting Base Br

BOL-710-SMB-ABK = BOL-710 Anchor Bolt Kit For Surface-Mounting Base

BOL-EBK4-M10 = Set Of 4 Expansion Bolts 3/8 X 4 Inches (M10 X 100mm)

ACCESSORIES:



Factory-Installed Options:

Blank = No Option For Accessories

OPT-EM-BOL = Emergency Backup Internal Battery, Back Box

OPT-CRL-95(BK/GR/SR/WH) = Paint

OPT-SEN-WMC = Microwave Bi-Level Sensor

OPT-PC-B = Button



COLOR CHART: * Choose from one of our Premium Colors with no set-up fee.

Gloss:



SILVER METALLIC
70 GLOSS
T357-GR105



SILVER METALLIC
30 GLOSS
T353-GR06



DARK RED 90
GLOSS
P009-RD02



INTERNATIONAL
ORANGE 90
GLOSS
T009-OG26



SAFETY ORANGE
90 GLOSS
T009-OG01



YELLOW 90
GLOSS
T009-YL14



YELLOW 90
GLOSS
T009-YL01



TRAFFIC GREEN
70 GLOSS
T007-GN16



GREEN 70 GLOSS
T007-GN13



GREEN 60 GLOSS
C006-GN03



BLUE 90 GLOSS
T009-BL01



DARK BLUE 80
GLOSS
T008-BL20



RAL 8028 TERRA
BROWN 90 GLOSS
C209-BR358

Hammer:




WHITE HAMMER
T013-WH09



BEIGE HAMMER
T013-BG38



GREY HAMMER
C013-GR08



SILVER
HAMMERTONE
T064-GR05




BLACK HAMMER
T013-BK62



RED HAMMER
T013-RD15



GREEN HAMMER
T013-GN20



BLUE HAMMER
T013-BL468



BRONZE HAMMER
T012-BR161

Texture:



WHITE TEXTURE
C031-WH120



FLINT GRAY
TEXTURE
T243-GR522




BLACK TEXTURE
C241-BK109



RED TEXTURE
T241-RD129



BLUE TEXTURE
C241-BL544




OIL RUBBED
BRONZE TEXTURE
T291-BR251


Vein:



BLACK/WHITE
VEIN
T075-WH34



SILVER VEIN
T375-BK26



COPPER VEIN
EXTERIOR
T075-BK211



GOLD VEIN
T375-BK10



COPPER VEIN
T375-BK07

