




8000/8075
IN STOCK
DEC 2024



- Multi-directional mounting capability & 360° design. Use base down, base up or base sideways without affecting performance.
- Pretested & potted drivers are burnt in 3x prior to shipping and protected against vibration & moisture.
- Lamps dim to 50-70% by adjusting the wattage switch on the side of the lamp.
- Field adjustable light output.

SUPERFLEX SWITCH BETWEEN 3 WATTAGES & 3 CCTS



| PART # | UPC | REPLACES | WATTAGE | VOLTAGE | LUMENS | CCT | BASE | DLC CODES | |
|-----------------------|--------------|-------------|--------------------------------|----------|-------------|------------------------------------|-------------|-----------|----------|
| LED-8029E345-A-FW | 84400606067 | UP TO 150W | FLEXWATT 12W/18W/24W | 120-277V | 1550-3360 | FLEXCOLOR 3000K/4000K/ 5000K | E26 | N/A | |
| LED-8029M345-A-FW | 84400606068 | | | | | | EX39 | PVPFGTKS | |
| LED-8024E345-G7-FW | 844006060718 | UP TO 320W | FLEXWATT 35W/45W/60W | | 277-480V | | 5140-8870 | E26 | N/A |
| LED-8024M345-G7-FW | 844006060725 | | | | EX39 | | PE8R4NVO | | |
| LED-8027M345-G7-FW | 844006060756 | UP TO 400W | FLEXWATT 80W/100W/ 110W | | 11370-15730 | | 21700-39000 | EX39 | PMXF5D5C |
| LED-8027M345-G7-FW-HV | 844006077129 | | | | EX39 | | | S-IESFDP | |
| LED-8075M345-FW | 197810016526 | UP TO 750W | FLEXWATT 150W/200W/ 270W | | 120-277V | | | EX39 | S-5ZV7XV |
| LED-8075M345-FW-HV | 197810016533 | | | | 277-480V | | | EX39 | S-NZM9KT |
| LED-8000M345-FW-MV | 197810016540 | UP TO 1000W | FLEXWATT 300W/360W/ 450W | 208-347V | 50100-73300 | EX39 | | S-NTTFFVQ | |
| LED-8000M345-FW-HV | 197810016557 | | | 277-480V | | EX39 | | S-3DM41B | |





🇨🇦 347 VOLT OPTIONS FOR CANADA 🇨🇦

| PART # | UPC | REPLACES | WATTAGE | LUMENS | FLEXCOLOR | BASE | DLC CODES |
|---------------------|--------------|----------------|----------------|-------------|--------------------------------|------|-----------|
| LED-8029E345C-A-FW | 84400606069 | 70W-100W-150W | 12W-18W-24W | 1550-3360 | 3000K/ 4000K / 5000K | E26 | N/A |
| LED-8029M345C-A-FW | 84400606070 | 70W-100W-150W | 12W-18W-24W | 1550-3360 | | EX39 | P55Z8FTK |
| LED-8024E345C-G7-FW | 844006060732 | 175W-250W-320W | 35W-45W-60W | 5140-8870 | | E26 | N/A |
| LED-8024M345C-G7-FW | 844006060749 | 175W-250W-320W | 35W-45W-60W | 5140-8870 | | EX39 | P17WDCCW |
| LED-8027M345C-G7-FW | 844006060763 | 320W-400W | 80W-100W-110W | 11370-15730 | | EX39 | POIALL6T |
| LED-8000M345-FW-MV | 197810016540 | UP TO 1000W | 300W-360W-450W | 50100-73300 | | EX39 | S-NTFFVQ |

LUMENS

LED-8029

| WATTAGE | CCT | LUMENS |
|---------|-------|--------|
| 12W | 3000K | 1550 |
| 12W | 4000K | 1610 |
| 12W | 5000K | 1650 |
| 18W | 3000K | 2450 |
| 18W | 4000K | 2560 |
| 18W | 5000K | 2610 |
| 24W | 3000K | 3170 |
| 24W | 4000K | 3330 |
| 24W | 5000K | 3360 |

LED-8024

| WATTAGE | CCT | LUMENS |
|---------|-------|--------|
| 35W | 3000K | 5140 |
| 35W | 4000K | 5290 |
| 35W | 5000K | 5360 |
| 45W | 3000K | 6200 |
| 45W | 4000K | 6510 |
| 45W | 5000K | 6620 |
| 60W | 3000K | 8440 |
| 60W | 4000K | 8790 |
| 60W | 5000K | 8870 |

LED-8027

| WATTAGE | CCT | LUMENS |
|---------|-------|--------|
| 80W | 3000K | 10780 |
| 80W | 4000K | 11290 |
| 80W | 5000K | 11370 |
| 100W | 3000K | 13800 |
| 100W | 4000K | 14270 |
| 100W | 5000K | 14350 |
| 110W | 3000K | 15080 |
| 110W | 4000K | 15690 |
| 110W | 5000K | 15730 |

LED-8075

| WATTAGE | CCT | LUMENS |
|---------|-------|--------|
| 150W | 3000K | 21700 |
| 150W | 4000K | 22700 |
| 150W | 5000K | 22900 |
| 200W | 3000K | 29300 |
| 200W | 4000K | 30700 |
| 200W | 5000K | 30900 |
| 270W | 3000K | 36900 |
| 270W | 4000K | 38800 |
| 270W | 5000K | 39000 |

LED-8000

| WATTAGE | CCT | LUMENS |
|---------|-------|--------|
| 300W | 3000K | 50100 |
| 300W | 4000K | 52200 |
| 300W | 5000K | 52400 |
| 360W | 3000K | 57800 |
| 360W | 4000K | 60100 |
| 360W | 5000K | 60300 |
| 450W | 3000K | 69700 |
| 450W | 4000K | 73100 |
| 450W | 5000K | 73300 |

