

SYLVANIA Lamps

Garage Retrofit Light

Application

The SYLVANIA Garage Retrofit Light is a new ultra slim retrofit lamp, focused on lighting efficiency and modern design. This luminaire offers energy savings up to 68% and high quality color reproduction. This luminaire was designed for residential, low bay applications including garages, workshops, and attics.

Benefits and Features

- Ultra slim design for a modern look
- Clear bright light offers uniform, glare free illumination distribution
- Adjustable panels allow for customizable light
- Up to 120 LPW
- 6500K color temperature
- CRI >80
- Offered in 60, 80, and 100 watts
- Energy savings up to 68%

Electrical

- 120VAC
- 1.5kV surge protection
- Power Factor >90%
- THD <20%
- 113° beam angle

Rated Life

- 50,000 hours (L₇₀)

Warranty

- 5-year

Ambient Operating Range

- -22°F to +104°F (-30°C to +40°C)



Wattage Comparison

Traditional Source	LED System Wattage	Energy Savings
120W CFL	60	50%
175W HPS	60	66%
150W CFL	80	47%
250W MH	80	68%
200W CFL	100	50%
250W MH	100	60%

Certifications and Listings

- cULus
- RoHS
- FCC

Installation

- Screw-based design intended to replace traditional technologies

Specification Data

Catalog #	Type
Project	
Comments	
Prepared by	

Ordering Guide


LED	60	GARAGE	8	65	MED
LED	Wattage	Lamp Type	CRI	Color Temperature	Base Type
LED Technology	60 = 60 Watts	GARAGE = Garage Light	8 = >80	65 = 6500K	MED = Medium Base

Ordering Information


Item Number	Ordering Abbreviation	Total Wattage (W)	Input Voltage (V)	Dimming	CRI	Color Temperature	Base	Total Fixture Lumens (lm)	LPW	DLC	SKU Quantity
41360	LED60GARAGE865MED	60	120V	No	>80	6500K	Medium	7200	120	No	2EA
41361	LED80GARAGE865MED	80	120V	No	>80	6500K	Medium	9600	120	No	2EA
41362	LED100GARAGE865MED	100	120V	No	>80	6500K	Medium	12,000	120	No	2EA

Physical Information

Folded




Unfolded




Photometric Information


60W



80W




100W




Illuminance Information


60W



80W



100W



Additional Specifications

- Suitable for damp locations
- Suitable for use in enclosed luminaires
- IP44 Rating

LEDVANCE LLC

200 Ballardvale Street

Wilmington, MA 01887 USA

Phone 1-800-LIGHTBULB (1-800-544-4828)

www.sylvania.com

SYLVANIA and LEDVANCE are registered trademarks.

All other trademarks are those of their respective owners.

Licensee of product trademark SYLVANIA in general lighting.

Specifications subject to change without notice.



/sylvania



/sylvania

